



## OFFSHORE PRO KIT WITH CW202ROV ROV LANCE AND ELECTRIC HIGH PRESSURE UNIT 43 LPM AT 300 BAR)

Complete set Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:  
High Pressure ROV gun  
Offshore PRO Pump  
50 meter Neutrally buoyant hose  
Supply pump

---

**SKU:** HDE30-300-43-PRO, CW202ROV, DE149-08-HS24M-HM24M-50000, EWSP230-1

**Categories:** [Cleaning kit](#)

**Tags:** [Cleaning kit](#), [Offshore PRO](#)

## PRODUCT DESCRIPTION

Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:

CW202ROV ROV Zero-thrust Cavitation Cleaning Lance (Max. 80 LPM at 300 bar)

CW202ROV Cavitation and retro lance set for ROV with splitter / Stainless steel lance protection / Tapered lance end with red marking / Max. recommended working pressure 300 bar (4350 psi) / Maximum design pressure 500 bar (7250 psi) / Maximum flow 80 LPM (21 gpm) / CE certified / Lance length 280mm / Retro lance length 225mm

HDE30-300-43-PRO Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22

DE149-08-HS24M-HM24M-50000 1 /2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) - 50 mtr

1 / 2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) / 50 mtr / Quick-connect couplings / Recommended for ROV cavitation cleaning

EWSP230 Electric water supply pump 230V

Electric water supply pump 230VAC with 10 meter 1" hose / quick-connect couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg

**SPECIFICATIONS**