



**SEMI PRO KIT WITH DR200 DRILL AND  
DIESEL HIGH PRESSURE UNIT (30 LPM AT  
280 BAR)**

Complete set for cavitation cleaning.  
Including:  
Underwater Tool  
Semi PRO Pump  
2 x 20 meter Rubber hose  
Supply pump

---

**SKU:** HDMD280\_30, DR200T1, DE522-08-  
HS24M-HM24M-20000, EWSP230

**Categories:** [Drilling kit](#)

**Tags:** [Diesel](#), [Drilling kit](#), [Semi PRO](#)

## PRODUCT DESCRIPTION

Semi PRO cavitation cleaning kit for removing medium to hard fouling, including:

DR200T1 Waterhydraulic Underwater Drill

Including:

- ToolHose 2m 1/4" (2x)
- Storage Case
- Maintenance Tool

Underwater drilling tool / Control lever with safety button / Swiveling hose inlet connection / Water hydraulic driven / Max. working pressure 40 LPM at 300 bar / Max. 15,000 rpm / Max. 6Kw / M14x2 connection and quickclamping drillhead / Weight 2000 gram (under water 1500 gram) / corrosion resistant materials / CE certified

HDMD280\_30 Diesel High Pressure Unit (30 LPM at 280 bar)

Diesel driven, 2 cilinder Aircooled KohlerKDW1003 / 4 wheels with air tyres / Max. 1500 rpm / Strong, lightweight frame / Max. pressure 30 LPM at 280 bar (7,9 gpm at 4060 psi) / CE certified / Gearbox driven pump / Electrical starting / Automatic decelerator to reduce the number of revs in the bypass

phase / No engine-oil safety device (oil-alert) / Big water filter at pump inlet, readily serviceable cartridge type / Pressure release valve for dry shutoff gun / Zero hose pressure regulator and emergency-stop remote for SIR certification (optional) / Weight 285kg) / Dimensions 1370x850x1020mm

DE522-08-HS24M-HM24M-20000 1 / 2" Rubber High Pressure Hose (W.P. 440 bar) - 20 mtr (2x)  
1 / 2" Rubber High Pressure Hose (W.P. 440 bar) / 20 mtr / Quick-connect couplings / Recommended for underwater Tools

EWSP230 Electric water supply pump 230V

Electric water supply pump 230VAC with 10 meter 1" hose / quick-connect couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg

**SPECIFICATIONS**